

Dorclose Ltd

Architectural supplies

SECURITY PRODUCTS



Master Key Suiting

Master Key Suites (Including Sub Suiting if required), Common Key Systems and Keyed Alike cylinders can be constructed and delivered to meet your requirements. **Full records are kept allowing additions and replacements to be easily ordered at a later date.**

KEYING SERVICES


ISEO cylinders are available as standard differ, keyed alike or master keyed, or as a combination of all three. Complex grand master keys suites are possible, but remember it is wise to check the feasibility of any system. The following diagrams give a guide to the keying arrangements possible. More complex systems can be achieved depending on the cylinder system used.

We recommend that thought be given to any future growth that may be required. Although all master key suites have expansion built in, it is often easier to accommodate this in the initial design.

ISEO's cylinder systems offer a solution to most security and master keying requirements.


KEYED TO DIFFER

Each cylinder is only opened by its own key or exact copy of that key.



KEYED ALIKE

In keyed alike arrangements the same key operates all cylinders. Different types of cylinder can be included, as can both Euro and Oval profile. This is useful where a combination of lock cases are being used.



COMMON ENTRANCES

Common entrance suites are normally used in situations such as student accommodation. They are designed to allow each key holder to use the same key for their flat door as well as doors which are common to other residents. A key can also be issued that opens only the common doors. This is useful for milkmen or for maintenance of common areas. The important thing is that only the tenant's key or an exact copy will open their flat door.

MASTER KEY SUITE

In a master key suite, a number of cylinders, each with their own individual keys can also be opened by another single key, the master key. This allows each person to only carry one key yet open more than one door if required.




GREAT GRAND MASTER KEY SUITE

Grand master key suites are an extension of master key suites and allow doors to be grouped and sub-grouped. Each door is opened by its own key and its group master key.

These type of systems are useful in hotels, where each room has its own key. A cleaner may have a key that opens all the rooms on one floor and the manager one key to open all doors.

Keyed alike groups and common cylinders can be incorporated into this type of scheme.




CONTENTS

3 **F5** 5 Pin Cylinders

4 EURO PROFILE

5 OVAL PROFILE




6 ISEO PADLOCKS



7 **R6** 6 Pin Cylinders

8 EURO PROFILE

9 OVAL PROFILE



10 TOOLS FOR PINNING

11 **F6 Extra** 6 Pin Cylinders

12 EURO PROFILE




BS EN 1303:2005
KM 544418
TS007:2012

13 **R11** 11 Pin Cylinders

14 EURO PROFILE

15 OVAL & SCANDINAVIAN PROFILE




BS EN 1303:2005
KM 544418
TS007:2012

16 5 & 6 Pin PINNING COMPONENTS

17 **R50** 11 Pin Cylinders


18 EURO PROFILE



BS EN 1303:2005
KM 544418
TS007:2012

Manufacturing	ISEO Cylinders are manufactured in Italy using highly automated CNC machinery which enables us to provide a high degree of assurance in dimensional accuracy, and produce a quality product at all times.
Quality	Our cylinders are tested to a 200,000 cycle test, well above the BS EN1303 requirement.
Range	An extensive range of sizes are held in our UK facility, and can usually be despatched within 48 hours.
Security	All cylinders are provided with mushroom anti pick top pins, brass bottom pins, an extruded solid brass body, and a Steel Cam manufactured to DIN standard 18254.
Keying Options	Master Keyed suites are written and produced in the UK, many suites can normally be despatched with 48 hours and larger suites within 5 working days. All master keyed suites are recorded, and suite extensions can be provided in the future.
Keys	F5 cylinders are offered Keyed to differ (KD), or Keyed Alike (KA), and Master Keyed (MK) Keyed to differ are provided with 3 keys, KA and MK with 2 keys.

1. Brass body
2. Brass plug
3. Steel Cam
4. Circlip
5. Clutch
6. Brass pick resistant drivers
7. Phosphor-bronze driver spring
8. Closing pin
9. Brass pins
10. Nickel plated brass key




FD60

WHERE YOU SEE THIS SYMBOL

To BS 476 : Part 22 : 1987
or BS EN 1634-1 2000

Suitable for use on 1 hour timber based fire doors when fitted
in conjunction with a fire tested latch or lock

5 PIN EURO PROFILE DOUBLE CYLINDERS



Finishes: 7 = Brass

9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D	D	D	D	D	D	D	D	D	D	D
8209		21	25	28	30	35	40	45	50	55	60	65	70	75	80
	21	✓													
	25		✓		✓										
	28			✓											
	30				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	35					✓	✓	✓	✓	✓	✓	✓			
	40						✓	✓	✓						
	45							✓	✓	✓					
	50								✓	✓	✓				

5 PIN EURO PROFILE HALF CYLINDERS WITH KEY ONE SIDE



Finishes: 7 = Brass


9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	D	C	C	C	C	C	C	C	C	C	C	C	C
8209		25	30	35	40	45	50	55	60	70	80	90	95
	10mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

5 PIN EURO PROFILE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE



Finishes: 7 = Brass


9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D	D	D	D	D
8229		28	30	35	40	45	50	55	60
	28	✓							
	30		✓	✓	✓	✓	✓	✓	✓
	35		✓	✓	✓	✓	✓	✓	✓
	40		✓	✓	✓	✓	✓	✓	✓
8259			✓	✓	✓	✓	✓	✓	
	45		✓	✓	✓	✓	✓	✓	
	50		✓	✓	✓	✓	✓	✓	✓
	55		✓	✓		✓	✓		
	60		✓	✓			✓		
8289			✓	✓					
	65		✓	✓					
8219			✓						
	70		✓						
	80		✓						

EURO PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



Finishes: 7 = Brass

9 = Nickel




REFERENCE	REFERENCE	REFERENCE	D	C	C	C	C	C	C	C
8229	8259	8289		30	35	40	45	50	55	60
			10mm	✓	✓	✓	✓	✓	✓	✓

5 OVAL PROFILE

Dorclose Ltd

F5 5 Pin **TSEO**

5 PIN UK OVAL PROFILE DOUBLE CYLINDERS




Finishes: 7 = Brass
9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D
8211		30	35	40
	30	✓		
	35		✓	
	40			✓

5 PIN UK OVAL PROFILE SINGLE CYLINDERS WITH KEY ONE SIDE




Finishes: 7 = Brass
9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	D	C	C	C
8211		30	35	40
	10mm	✓	✓	✓

5 PIN UK OVAL PROFILE DOUBLE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE




Finishes: 7 = Brass
9 = Nickel



Master Keying & Keyed Alike charges:


REFERENCE	REFERENCE	REFERENCE	C	D	D	D
8273	8271	8281		30	35	40
			30	✓		
			35		✓	
			40			✓

5 PIN UK OVAL PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



Finishes: 7 = Brass
9 = Nickel




REFERENCE	REFERENCE	REFERENCE	D	C	C	C
8273	8271	8281		30	35	40
			10mm	✓	✓	✓

MORTICE THREADED CYLINDER (PAIR)

	REFERENCE	PRICE
	IS8506-32263 Nickel	✓
	HALF IS8506-32263.5 Nickel	✓
	IS8506-32267 Brass	✓
	HALF IS8506-32267.5 Brass	✓


Master Keying & Keyed Alike charges:


RIM CYLINDER WITH 3 KEYS

	REFERENCE	PRICE
	IS8500-35009 Nickel	✓
	IS8500-3500L Brass	✓

Master Keying & Keyed Alike charges:


RECTANGULAR PADLOCKS


	REFERENCE	A	E	H	D	PRICE
	IS804-707	70mm	20mm	15mm	12mm	✓
	IS804-907	90mm	36mm	18mm	12mm	✓
	IS809-909	90mm	36mm	17.5mm	12mm	✓
	BOXER					



Master Keying & Keyed Alike charges:


PADLOCK - STANDARD


	REFERENCE	A	H	D	PRICE
	IS800-457	45mm	22mm	6mm	✓
	IS800-507	50mm	28mm	8mm	✓
	IS800-607	60mm	35mm	10mm	✓
	IS800-707	70mm	44mm	12mm	✓



Master Keying & Keyed Alike charges:

PADLOCK - LONG SHACKLE

	REFERENCE	A	H	D	PRICE
	IS802-507	50mm	50mm	8mm	✓
	IS802-517	50mm	67mm	8mm	✓
	IS802-527	50mm	90mm	8mm	✓
	IS802-537	50mm	152mm	8mm	✓



Master Keying & Keyed Alike charges:


EURO CYLINDER PADLOCK - BODY STANDARD

	REFERENCE	A	H	D	PRICE
	IS4000630	50mm	32mm	8mm	✓


Satin Nickel Plated Brass Body with Bright Plated Inox Shackle
No cutting down of cylinder required

Master Keying & Keyed Alike charges:


Suitable for use with all ISEO 3010 Euro single cylinders




EURO CYLINDER PADLOCK - BODY LONG SHACKLE

	REFERENCE	A	H	D	PRICE
	IS4000650	50mm	51mm	8mm	✓

Master Keying & Keyed Alike charges:




SHUTTER LOCKS

	REFERENCE	DESCRIPTION	PRICE
	IS642001	Single point RH lock	✓
	IS642002	Single point LH lock	✓
	IS642003	Pair RH & LH lock	✓
	IS642003 KA	Pair RH & LH lock KA	✓
	IS641010	2 point Shutter lock	✓
	IS641010	2 Point	
	004907	Floor anchor	✓

- Manufacturing** ISEO Cylinders are manufactured in Italy using highly automated CNC machinery which enables us to provide a high degree of assurance in dimensional accuracy, and produce a quality product at all times.
- Quality** Our cylinders are tested to a 200,000 cycle test, well above the BS EN1303 requirement.
- Range** An extensive range of sizes are held in our UK facility, and can usually be despatched within 48 hours.
- Security**
- Hardened Steel pin protection in the cylinder body.
 - Stainless Steel Pins allow for greater dimensional accuracy and protect against drill attack.
 - 2.85mm thick reversible dimple key.
 - The 6th pin makes it more difficult to pick than a 5 pin cylinder.
 - R6 cylinders are suited for situations where some additional key and cylinder security is required.
- Keying Options** Master Keyed suites are written and produced in the UK, many suites can normally be despatched with 48 hours and larger suites within 5 working days. All master keyed suites are recorded, and suite extensions can be provided in the future.
- Keys** R6 cylinders are offered Keyed to differ (KD), or Keyed Alike (KA), and Master Keyed (MK) Keyed to differ are provided with 3 keys, KA and MK with 2 keys.

1. Brass body
2. Brass plug
3. Steel Cam
4. Circlip
5. Clutch
6. Brass pick resistant drivers
7. Phosphor-bronze driver spring
8. Anti-drill hardened steel pin
9. Stainless steel pins
10. Nickel plated reversible brass key



FD60

WHERE YOU SEE THIS SYMBOL


To BS 476 : Part 22 : 1987
or BS EN 1634-1 2000

Suitable for use on 1 hour timber based fire doors when fitted
in conjunction with a fire tested latch or lock

6 PIN EURO PROFILE DOUBLE CYLINDERS



off centre Din std. Cam



Finishes: 7 = Brass


9 = Nickel




Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D	D	D	D	D	D	D
8809		30	35	40	45	50	55	60	65	70	75
	30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	35		✓	✓	✓	✓	✓				
	40			✓	✓	✓	✓	✓			
	45				✓	✓	✓				
	50					✓					

6 PIN EURO PROFILE HALF CYLINDERS WITH KEY ONE SIDE



8 position Cam



Finishes: 7 = Brass

9 = Nickel




Master Keying & Keyed Alike charges:

REFERENCE	D	C	C	C	C	C	
8809 		30	35	40	50	55	60
	10mm	✓	✓	✓	✓	✓	✓

6 PIN EURO PROFILE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE



off centre Din std. Cam



Finishes: 7 = Brass

9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D
8829		30	35	40	50
	30	✓	✓	✓	✓
	35	✓	✓	✓	✓
	40	✓	✓	✓	✓

8859




8889




8819



EURO PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



8 position Cam



Finishes: 7 = Brass



9 = Nickel



REFERENCE	REFERENCE	REFERENCE	D	C	C	C	C	C	C	C
8229	8259	8289	10mm	30	35	40	45	50	55	60
			10mm	✓	✓	✓	✓	✓	✓	✓

6 PIN UK OVAL PROFILE DOUBLE CYLINDERS


6 PIN UK OVAL PROFILE SINGLE CYLINDERS WITH KEY ONE SIDE



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	REFERENCE	D	C	C	C
8811		30	35	40	8811	10mm	30	35	40
	30	✓					✓	✓	✓
	35		✓						
	40			✓					

6 PIN UK OVAL PROFILE DOUBLE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE




Finishes: 7 = Brass
9 = Nickel

Master Keying & Keyed Alike charges:

REFERENCE	REFERENCE	REFERENCE	C	D	D	D
8873	8871	8881		30	35	40
			30	✓		
			35		✓	
			40			✓

6 PIN UK OVAL PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



Finishes: 7 = Brass
9 = Nickel

REFERENCE	REFERENCE	REFERENCE	D	C	C	C
8873	8871	8881	10mm	30	35	40
				✓	✓	✓

MORTICE THREADED CYLINDER (PAIR)

REFERENCE	PRICE
IS8606-32263 Nickel	✓
HALF IS8606-32263.5 Nickel	✓



Master Keying & Keyed Alike charges:

RIM CYLINDER WITH 3 KEYS

REFERENCE	PRICE
IS8600-35009 Nickel	✓
IS8600-3500L Brass	✓




Master Keying & Keyed Alike charges:

RECTANGULAR PADLOCKS

REFERENCE	A	E	H	D	PRICE
IS809-909R6 90mm	36mm	17.5mm	12mm		✓



Master Keying & Keyed Alike charges:




EURO CYLINDER PADLOCK - BODY STANDARD


EURO CYLINDER PADLOCK - BODY LONG SHACKLE

REFERENCE	A	H	D	PRICE	REFERENCE	A	H	D	PRICE
IS4000630R6	50mm	32mm	8mm	✓	IS4000650R6	50mm	51mm	8mm	✓

Satin Nickel Plated
Brass Body with
Bright Plated Inox
Shackle
No cutting down of
cylinder required



Master Keying & Keyed Alike charges:








Master Keying & Keyed Alike charges:

Suitable for use with all ISEO 3010 Euro single cylinders

PINNING KITS & TOOLS


PLEASE CALL OUR SALES LINE FOR TOOLS PRICES **(01384) 247 844**

REFERENCE	
003 000	Pinning kit 5 Pin
003 040	Pinning kit R6 & R11
003 031	F6/R6 Pinning Kit
003 101	Cylinder Support 5 Pin
003 102	Pin Loader 5 Pin
003 103	Plug Guide 5 Pin
003 104	Circlip Pliers All Product Ranges
003 105	Closing Pliers All Product Ranges
003 107	Key Gauge 5 Pin
003 113	Key Gauge R6
003 109	Pinning Jig R6 & R11
003 111	Euro Profile Pinning Blade All Product Ranges
003 112	Oval Profile Pinning Blade All Product Ranges





BS EN 1303:2005
KM 544418
TS007:2012



F6 Extra 6 Pin

ISEO F6 Extra BS Kite Marked Cylinders

- TS007 1 Star

To attain 3 stars use an F6+ cylinder with 2 star rated security hardware

- Certified BS EN 1303:2005 (Grade 5)
- Durable Construction (Grade 6)
- Bump Resistant
- Pick Resistant
- Drill Resistant
- Available in Nickel or Brass Finish
- 3 keys supplied per Differ Cylinder
- Available Master Keyed & Keyed Alike

1	6	0	1	0	C	5	2
---	---	---	---	---	---	---	---

Classification



FD60

To BS 476 : Part 22 : 1987
or BS EN 1634-1 2000


WHERE YOU SEE THIS SYMBOL

Suitable for use on 1 hour timber based fire doors when fitted
in conjunction with a fire tested latch or lock

12 EURO PROFILE

F6 Extra 6 Pin ISEO

6 PIN EURO PROFILE DOUBLE CYLINDERS



Finishes: 7 = Brass
9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D	D	D	D	D	D	D
		30	35	40	45	50	55	60	65	70	75
IS82F60		✓					✓	✓	✓		✓
			✓	✓	✓	✓	✓				
				✓	✓	✓	✓	✓			
					✓	✓	✓				
						✓					

6 PIN EURO PROFILE HALF CYLINDERS WITH KEY ONE SIDE




Finishes: 7 = Brass
9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	D	C	C	C	C
		35	40	45	50
IS82F60	10	✓	✓	✓	✓

6 PIN EURO PROFILE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE



Finishes: 7 = Brass
9 = Nickel



REFERENCE	C	D	D	D
		30	35	40
IS82F629	30	✓		
	35		✓	
	40			✓

IS82F659



Master Keying & Keyed Alike charges:

IS82F689



IS82F619



RIM CYLINDER WITH 3 KEYS

REFERENCE	PRICE
-----------	-------




IS8100-35009 Nickel



Master Keying & Keyed Alike charges:

EURO PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



Finishes: 7 = Brass
9 = Nickel



REFERENCE	REFERENCE	REFERENCE	D	C	C	C	C	C
				35	40	45	50	55
IS82F629	IS82F659	IS82F689	10	✓	✓	✓		✓




- Manufacturing** ISEO Cylinders are manufactured in Italy using highly automated CNC machinery which enables us to provide a high degree of assurance in dimensional accuracy, and produce a quality product at all times.
- Quality** The R11 system is particularly suitable where a higher level of cylinder or key security is required, or where a large and complex master keying arrangement is essential.
- Range** An extensive range of sizes are held in our UK facility, and can usually be despatched within 48 hours.
- Security** The R11 is a 11 pin flat key system with anti drill protection in both the cylinder body and the plug. It also offers effective protection against unauthorised duplication of keys.
- Keying Options** A large number of key variations obtained from three separate levels of pins gives the R11 over 1 million effective key differs. This high number of differs also helps where extremely complex master keying is requested. For example 200 sub master key suites can be obtained under a single master key. Extra and replacement keys are only available with the correct level of authority. All R11 cylinders are supplied with nickel silver 3mm flat keys which gives an increased level of strength and durability.
- Keys** R11 cylinders are offered Keyed to differ (KD), or Keyed Alike (KA), and Master Keyed (MK) Keyed to differ are provided with 3 keys, KA and MK with 2 keys

1. Brass body
2. Brass plug
3. Patented active top pins
4. Clutch
5. Circlip
6. Steel Cam
7. Stainless steel pins
8. Brass pick-resistant driver
9. Phosphor-bronze driver spring
10. Anti-drill hardened steel pin
11. Nickel silver reversible key



BS EN 1303:2005
KM 544418
TS007:2012



FD60

WHERE YOU SEE THIS SYMBOL


To BS 476 : Part 22 : 1987
or BS EN 1634-1 2000

Suitable for use on 1 hour timber based fire doors when fitted
in conjunction with a fire tested latch or lock

11 PIN EURO PROFILE DOUBLE CYLINDERS



off centre Din std. Cam



FD60

Finishes: 7 = Brass
9 = Nickel




Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D	D	D	D
8909		30	35	40	45	50	55	60
		✓	✓	✓	✓	✓	✓	✓
			✓	✓	✓	✓	✓	
				✓	✓	✓	✓	✓
					✓			

11 PIN EURO PROFILE HALF CYLINDERS WITH KEY ONE SIDE



off centre Din std. Cam



FD60

Finishes: 7 = Brass
9 = Nickel




Master Keying & Keyed Alike charges:

REFERENCE	D	C	C	C
8909		30	35	40
	10mm	✓	✓	✓

11 PIN EURO PROFILE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE



off centre Din std. Cam



FD60

Finishes: 7 = Brass
9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	C	D	D	D	D
8929		30	35	40	45
		✓	✓	✓	✓
		✓	✓	✓	✓
		✓	✓	✓	✓
		✓	✓	✓	✓

8959




8989




8919



EURO PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



8 position Cam




FD60

Finishes: 7 = Brass
9 = Nickel



REFERENCE	REFERENCE	REFERENCE	D	C	C	C	C	C	C	C
8229	8259	8289		30	35	40	45	50	55	60
			10mm	✓	✓	✓	✓	✓	✓	✓


11 PIN UK OVAL PROFILE DOUBLE CYLINDERS



REFERENCE	C	D	D	D
8911		30	35	40
	30	✓		
	35		✓	
	40			✓



11 PIN UK OVAL PROFILE SINGLE CYLINDERS WITH KEY ONE SIDE




Master Keying & Keyed Alike charges:

REFERENCE	D	C	C	C
8911	10mm	30	35	40
		✓	✓	✓



11 PIN UK OVAL PROFILE DOUBLE CYLINDERS WITH THUMBTURN INSIDE



Finishes: 7 = Brass

9 = Nickel



Master Keying & Keyed Alike charges:

REFERENCE	REFERENCE	REFERENCE	C	D	D	D
8973	8971	8981		30	35	40
			30	✓		
			35		✓	
			40			✓



11 PIN SCANDINAVIAN PROFILE CYLINDERS



EXTERNAL

INTERNAL



DESCRIPTION	REFERENCE	PRICE
INTERNAL Scandinavian Profile cylinder	IS8975INT	✓
EXTERNAL Scandinavian Profile cylinder	IS8972EXT	✓
DOUBLE Scandinavian Profile cylinder	IS8975DBL	✓

Master Keying & Keyed Alike charges:


MORTICE THREADED CYLINDER (PAIR)

REFERENCE	PRICE
IS8706-32263 Nickel	✓
HALF IS8706-32263.5 Nickel	✓
IS8706-32267 Brass	✓
HALF IS8706-32267.5 Brass	✓



RIM CYLINDER WITH 3 KEYS

REFERENCE	PRICE
IS8700-35009 Nickel	✓
IS8700-3500L Brass	✓




Master Keying & Keyed Alike charges:

RECTANGULAR PADLOCKS

REFERENCE	A	E	H	D	PRICE
IS809-909R11 90mm BOXER	36mm	17.5mm	12mm		✓




Master Keying & Keyed Alike charges:



EURO CYLINDER PADLOCK - BODY STANDARD

REFERENCE	A	H	D	PRICE
IS4000630R11 50mm	32mm	8mm		✓

Master Keying & Keyed Alike charges:




Satin Nickel Plated Brass Body with Bright Plated Inox Shackle
No cutting down of cylinder required



EURO CYLINDER PADLOCK - BODY LONG SHACKLE

REFERENCE	A	H	D	PRICE
IS4000650R11 50mm	51mm	8mm		✓

Master Keying & Keyed Alike charges:



Suitable for use with all ISEO 3010 Euro single cylinders

F5 5 Pin

CIRCLIPS

003 7011	Steel Circlip (250pcs)	250	✓
003 7001	Brass Circlip (250pcs)	250	✓

BOTTOM PINS

003 2050	No 0	L = 5.0 mm	250	✓
003 2054	No 1	L = 5.4 mm	250	✓
003 2058	No 2	L = 5.8 mm	250	✓
003 2062	No 3	L = 6.2 mm	250	✓
003 2066	No 4	L = 6.6 mm	250	✓
003 2070	No 5	L = 7.0 mm	250	✓
003 2074	No 6	L = 7.4 mm	250	✓
003 2078	No 7	L = 7.8 mm	250	✓
003 2082	No 8	L = 8.2 mm	250	✓

TOP PINS

003 3030	Small Standard for Padlocks	L = 3.0 mm	250	✓
003 3050	Standard	L = 5.0 mm	250	✓

MASTER WAFERS

003 9008	No 2	L = 0.8 mm	250	✓
003 9016	No 4	L = 1.6 mm	250	✓
003 9024	No 6	L = 2.4 mm	250	✓
003 9032	No 8	L = 3.2 mm	250	✓

SPRINGS

003 8130	Brass	L = 13.0mm	250	✓
----------	-------	------------	-----	---

F5 EXTRA KEYS

020 259	Key Blanks For Euro & Oval Profile Cylinders & Padlocks 45mm or Above	each	✓
020 409	Key Blanks For Roller Shutters	each	✓
020 259DK	F5 Differ Key	each	✓
020 259MK	F5 Master Key	each	✓

R6 6 Pin

CIRCLIPS

003 7011	Steel Circlip (250pcs)	250	✓
----------	------------------------	-----	---

BOTTOM PINS

003 2151	No 0	L = 5.1 mm	250	✓
003 2156	No 1	L = 5.6 mm	250	✓
003 2161	No 2	L = 6.1 mm	250	✓
003 2166	No 3	L = 6.6 mm	250	✓
003 2171	No 4	L = 7.1 mm	250	✓
003 2176	No 5	L = 7.6 mm	250	✓

TOP PINS

003 3150	Standard	L = 5.0 mm	250	✓
003 4150	Mushroom	L = 5.0 mm	250	✓

MASTER WAFERS

003 9110	No 2	L = 1.0 mm	250	✓
003 9120	No 4	L = 2.0 mm	250	✓

SPRINGS

003 8135	Brass	L = 13.5mm	250	✓
----------	-------	------------	-----	---

R6 EXTRA KEYS

020 839.U	R6 Key Blank (Key bow blank one side)	each	✓
020 839DK	R6 Differ Key	each	✓
020 839MK	R6 Master Key	each	✓

F6 Plus Extra Keys



020 609	F6 Key Blank	each	✓	020 609DK	F6 Differ Key	each	✓	020609MK	F6 Plus Master Key	each	✓
---------	--------------	------	---	-----------	---------------	------	---	----------	--------------------	------	---

R11 11 Pin Extra Keys



GENUINE R11 KEY BLANKS ONLY AVAILABLE TO REGISTERED KEY CENTRES

020 9001DK	R11 Differ Key	each	✓	020 9001MK	R11 Master Key	each	✓
------------	----------------	------	---	------------	----------------	------	---

R50 11 Pin Extra Keys

GENUINE R50 KEY BLANKS ONLY AVAILABLE TO REGISTERED KEY CENTRES


020 9901DK	R50 Differ Key	each	✓	020 9901MK	R50 Master Key	each	✓
------------	----------------	------	---	------------	----------------	------	---

- Manufacturing** ISEO Cylinders are manufactured in Italy using highly automated CNC machinery which enables us to provide a high degree of assurance in dimensional accuracy, and produce a quality product at all times.
- Quality** The R50 system is particularly suitable where a higher level of cylinder or patented key security is required, or where a large and complex master keying arrangement is essential.
- Range** An extensive range of sizes are held in our UK facility, and can usually be despatched within 48 hours.
Other sizes/profiles may be available on request
- Security** The R50 is a 11 pin flat key system with anti drill protection in both the cylinder body and the plug. It also offers a patented key providing effective protection against unauthorised duplication of keys.
- Keying Options** A large number of key variations obtained from three separate levels of pins gives the R50 over 1 million effective key differs. This high number of differs also helps where extremely complex master keying is requested. For example 200 sub master key suites can be obtained under a single master key. Extra and replacement keys are only available with the correct level of authority. All R50 cylinders are supplied with nickel silver 3mm flat keys which gives an increased level of strength and durability.
- Keys** R50 cylinders are offered Keyed to differ (KD), or Keyed Alike (KA), and Master Keyed (MK). All R50 cylinders are provided with 2 keys only.
- **** At time of publication any product modified by parties other than Iseo or M.Marcus Ltd cannot be covered by Kite Mark Certificate.



BS EN 1303:2005 **
KM 544418
TS007:2012

1. Brass body
2. Brass plug
3. Patented active top pins
4. Clutch
5. Circlip
6. Steel Cam
7. Stainless steel pins
8. Brass pick-resistant driver
9. Phosphor-bronze driver spring
10. Anti-drill hardened steel pin
11. Patented nickel silver reversible key
12. Interactive fixed pin




FD60

WHERE YOU SEE THIS SYMBOL

To BS 476 : Part 22 : 1987
or BS EN 1634-1 2000

Suitable for use on 1 hour timber based fire doors when fitted in conjunction with a fire tested latch or lock

11 PIN EURO PROFILE DOUBLE CYLINDERS




Finishes: 7 = Brass
9 = Nickel



REFERENCE	C	D	D	D	D	D	D	D
8A09		30	35	40	45	50	55	60
	30	✓	✓	✓	✓	✓	✓	✓
	35		✓	✓	✓	✓	✓	
	40			✓	✓	✓	✓	✓
	45				✓			

11 PIN EURO PROFILE HALF CYLINDERS-KEY ONE SIDE




Finishes: 7 = Brass
9 = Nickel



REFERENCE	D	C	C	C
8A09	10mm	30	35	40
		✓	✓	✓

11 PIN EURO PROFILE CYLINDERS WITH KEY OUTSIDE AND THUMBTURN INSIDE




Finishes: 7 = Brass
9 = Nickel



REFERENCE	REFERENCE	REFERENCE	REFERENCE	C	D	D	D	D
8A29	8A59	8A89	8A19		30	35	40	45
				30	✓	✓	✓	✓
				35	✓	✓	✓	✓
				40	✓	✓	✓	✓
				45	✓	✓	✓	✓

EURO PROFILE SINGLE CYLINDERS WITH THUMBTURN INSIDE



Finishes: 7 = Brass
9 = Nickel



	D	C	C	C	C	C	C	C
		30	35	40	45	50	55	60
	10mm	✓	✓	✓	✓	✓	✓	✓

Master Keying & Keyed Alike charges:



11 PIN SCANDINAVIAN PROFILE CYLINDERS

DESCRIPTION	REFERENCE	PRICE
INTERNAL Scandinavian Profile cylinder	IS8A75INT	✓
EXTERNAL Scandinavian Profile cylinder	IS8A72EXT	✓
DOUBLE Scandinavian Profile cylinder	IS8A75DBL	✓

MORTICE THREADED CYLINDER (PAIR)

	REFERENCE	PRICE
	IS8A06-32263 Nickel	✓
HALF	IS8A06-32263.5 Nickel	✓
	IS8A06-32267 Brass	✓
HALF	IS8A06-32267.5 Brass	✓

RIM CYLINDER WITH 3 KEYS

	REFERENCE	PRICE
	IS8A00-35009 Nickel	✓
	IS8A00-3500L Brass	✓


Master Keying & Keyed Alike charges:

RECTANGULAR PADLOCKS

REFERENCE	A	E	H	D	PRICE
IS809-909R50 90mm BOXER	36mm	17.5mm	12mm		✓



Master Keying & Keyed Alike charges:



EURO CYLINDER PADLOCK - BODY STANDARD

EURO CYLINDER PADLOCK - BODY LONG SHACKLE

No cutting down of cylinder required	REFERENCE	A	H	D	PRICE
	IS4000630R50 50mm	32mm	8mm		✓


Master Keying & Keyed Alike charges:



Suitable for use with all ISEO 3010 Euro single cylinders

REFERENCE	A	H	D	PRICE
IS4000650R50 50mm	51mm	8mm		✓

Master Keying & Keyed Alike charges:



Dorclose Ltd



Architectural supplies

Dorclose Ltd.

Unit 10, Orwell Close,
Fairview Industrial Estate,
Marsh Way,
Rainham,
Essex, RM13 8UB

Tel: 01708 525 885

Email: sales@dorclose.com